



**COMMENT: S.45-3. Raphaelle Machado**

**Response to comment S.45-3A.**

Comment noted. Please refer to Supplemental Master Response regarding the selection of Site #14 (Arbor Vitae/Bellanca) as the site for the maintenance facility.

**Response to comment S.45-3B.**

Comment noted. Please refer to Supplemental Master Response regarding the selection of Site #14 (Arbor Vitae/Bellanca) as the site for the maintenance facility.

**Response to comment S.45-3C.**

Comment noted. Please refer to Supplemental Master Response regarding the selection of Site #14 (Arbor Vitae/Bellanca) as the site for the maintenance facility.

**COMMENT: S.45-4. Erin Monroe**

**Response to comment S.45-4A.**

Comment noted. Please refer to Supplemental Master Response regarding the selection of Site #14 (Arbor Vitae/Bellanca) as the site for the maintenance facility.

**Response to comment S.45-4B.**

Comment noted. Please refer to Supplemental Master Response regarding the selection of Site #14 (Arbor Vitae/Bellanca) as the site for the maintenance facility.

**Response to comment S.45-4C.**

Comment noted. Please refer to Supplemental Master Response regarding the selection of Site #14 (Arbor Vitae/Bellanca) as the site for the maintenance facility.



**COMMENT: S.45-5. Chris Richert**

**Response to comment S.45-5A.**

Comment noted. Please refer to Supplemental Master Response regarding the selection of Site #14 (Arbor Vitae/Bellanca) as the site for the maintenance facility.

**Response to comment S.45-5B.**

Comment noted. Please refer to Supplemental Master Response regarding the selection of Site #14 (Arbor Vitae/Bellanca) as the site for the maintenance facility.

**Response to comment S.45-5C.**

Comment noted. Please refer to Supplemental Master Response regarding the selection of Site #14 (Arbor Vitae/Bellanca) as the site for the maintenance facility.

**COMMENT: S.45-6. Joel Reeves**

**Response to comment S.45-6A.**

Comment noted. Please refer to Supplemental Master Response regarding the selection of Site #14 (Arbor Vitae/Bellanca) as the site for the maintenance facility.

**Response to comment S.45-6B.**

Comment noted. Please refer to Supplemental Master Response regarding the selection of Site #14 (Arbor Vitae/Bellanca) as the site for the maintenance facility.



**COMMENT: S.45-7A. Samantha Millman**

**Response to comment S.45-7A.**

Comment noted. Please refer to Supplemental Master Response regarding the selection of Site #14 (Arbor Vitae/Bellanca) as the site for the maintenance facility.

**Response to comment S.45-7B.**

Comment noted. Please refer to Supplemental Master Response regarding the selection of Site #14 (Arbor Vitae/Bellanca) as the site for the maintenance facility.

**Response to comment S.45-7C.**

Comment noted. Please refer to Supplemental Master Response regarding the selection of Site #14 (Arbor Vitae/Bellanca) as the site for the maintenance facility.

**COMMENT: S.45-8A. David Slavin**

**Response to comment S.45-8A.**

Comment noted. Please refer to Supplemental Master Response regarding the selection of Site #14 (Arbor Vitae/Bellanca) as the site for the maintenance facility.

**Response to comment S.45-8B.**

Comment noted. Please refer to Supplemental Master Response regarding the selection of Site #14 (Arbor Vitae/Bellanca) as the site for the maintenance facility.

**Response to comment S.45-8C.**

Comment noted. Please refer to Supplemental Master Response regarding the selection of Site #14 (Arbor Vitae/Bellanca) as the site for the maintenance facility.

**Response to comment S.45-8D.**

Comment noted. Please refer to Supplemental Master Response regarding the selection of Site #14 (Arbor Vitae/Bellanca) as the site for the maintenance facility.



**COMMENT: S.45-9A. Kevin Brogan**

**Response to comment S.45-9A.**

Comment noted. Please refer to Supplemental Master Response regarding the selection of Site #14 (Arbor Vitae/Bellanca) as the site for the maintenance facility.

**Response to comment S.45-9B.**

Comment noted. Please refer to Supplemental Master Response regarding the selection of Site #14 (Arbor Vitae/Bellanca) as the site for the maintenance facility.

**Response to comment S.45-9C.**

Comment noted. Please refer to Supplemental Master Response regarding the selection of Site #14 (Arbor Vitae/Bellanca) as the site for the maintenance facility.

**Response to comment S.45-9D.**

Comment noted. Please refer to Supplemental Master Response regarding the selection of Site #14 (Arbor Vitae/Bellanca) as the site for the maintenance facility.

**Response to comment S.45-9E.**

Comment noted. Please refer to Supplemental Master Response regarding the selection of Site #14 (Arbor Vitae/Bellanca) as the site for the maintenance facility.

**COMMENT: S.45-10. Alex Vargas**

**Response to comment S.45-10A.**

Comment noted. Please refer to Supplemental Master Response regarding the selection of Site #14 (Arbor Vitae/Bellanca) as the site for the maintenance facility.

**Response to comment S.45-10B.**

Comment noted. Please refer to Supplemental Master Response regarding the selection of Site #14 (Arbor Vitae/Bellanca) as the site for the maintenance facility.

**Response to comment S.45-10C.**

Comment noted. Please refer to Supplemental Master Response regarding the selection of Site #14 (Arbor Vitae/Bellanca) as the site for the maintenance facility.





**COMMENT: S.45-11. Martin Coyne**

**Response to comment S.45-11A.**

Comment noted. Please refer to Supplemental Master Response regarding the selection of Site #14 (Arbor Vitae/Bellanca) as the site for the maintenance facility.

**Response to comment S.45-11B.**

Comment noted. Please refer to Supplemental Master Response regarding the selection of Site #14 (Arbor Vitae/Bellanca) as the site for the maintenance facility.

**Response to comment S.45-11C.**

Comment noted. Please refer to Supplemental Master Response regarding the selection of Site #14 (Arbor Vitae/Bellanca) as the site for the maintenance facility.

**COMMENT: S.45-12. Aaron Jones**

**Response to comment S.45-12A.**

Comment noted. Please refer to Supplemental Master Response regarding the selection of Site #14 (Arbor Vitae/Bellanca) as the site for the maintenance facility.

**Response to comment S.45-12B.**

Comment noted. Please refer to Supplemental Master Response regarding the selection of Site #14 (Arbor Vitae/Bellanca) as the site for the maintenance facility.

**Response to comment S.45-12C.**

Comment noted. Please refer to Supplemental Master Response regarding the selection of Site #14 (Arbor Vitae/Bellanca) as the site for the maintenance facility.



**COMMENT: S.45-13. Tom Gutto**

**Response to comment S.45-13A.**

Comment noted. Please refer to Supplemental Master Response regarding the selection of Site #14 (Arbor Vitae/Bellanca) as the site for the maintenance facility.

**COMMENT: S.45-14. Kim Bordet**

**Response to comment S.45-14A.**

Comment noted. Please refer to Supplemental Master Response regarding the selection of Site #14 (Arbor Vitae/Bellanca) as the site for the maintenance facility.

**Response to comment S.45-14B.**

Comment noted. Please refer to Supplemental Master Response regarding the selection of Site #14 (Arbor Vitae/Bellanca) as the site for the maintenance facility.

**Response to comment S.45-14C.**

Comment noted. Please refer to Supplemental Master Response regarding the selection of Site #14 (Arbor Vitae/Bellanca) as the site for the maintenance facility.



**COMMENT: S.45-15. Marc Gephart**

**Response to comment S.45-15A.**

Comment noted. Please refer to Supplemental Master Response regarding the selection of Site #14 (Arbor Vitae/Bellanca) as the site for the maintenance facility.

**Response to comment S.45-15B.**

Comment noted. Please refer to Supplemental Master Response regarding the selection of Site #14 (Arbor Vitae/Bellanca) as the site for the maintenance facility.

**Response to comment S.45-15C.**

Comment noted. Please refer to Supplemental Master Response regarding the selection of Site #14 (Arbor Vitae/Bellanca) as the site for the maintenance facility.

**COMMENT: S.45-16. Peter Jorgensen**

**Response to comment S.45-16A.**

Comment noted. Please refer to Supplemental Master Response regarding the selection of Site #14 (Arbor Vitae/Bellanca) as the site for the maintenance facility.



**COMMENT: S.45-17. Cory Seibert**

**Response to comment S.45-17A.**

Comment noted. Please refer to Supplemental Master Response regarding the selection of Site #14 (Arbor Vitae/Bellanca) as the site for the maintenance facility.

**Response to comment S.45-17B.**

Comment noted. Please refer to Supplemental Master Response regarding the selection of Site #14 (Arbor Vitae/Bellanca) as the site for the maintenance facility.

**Response to comment S.45-17C.**

Comment noted. Please refer to Supplemental Master Response regarding the selection of Site #14 (Arbor Vitae/Bellanca) as the site for the maintenance facility.

**COMMENT: S.45-18. Rafael Galban**

**Response to comment S.45-18A.**

Comment noted. Please refer to Supplemental Master Response regarding the selection of Site #14 (Arbor Vitae/Bellanca) as the site for the maintenance facility.

**Response to comment S.45-18B.**

Comment noted. Please refer to Supplemental Master Response regarding the selection of Site #14 (Arbor Vitae/Bellanca) as the site for the maintenance facility.





**COMMENT: S.45-19. Steven Johnson**

**Response to comment S.45-19A.**

Comment noted. Please refer to Supplemental Master Response regarding the selection of Site #14 (Arbor Vitae/Bellanca) as the site for the maintenance facility.

**Response to comment S.45-19B.**

Comment noted. Please refer to Supplemental Master Response regarding the selection of Site #14 (Arbor Vitae/Bellanca) as the site for the maintenance facility.

**Response to comment S.45-19C.**

Comment noted. Please refer to Supplemental Master Response regarding the selection of Site #14 (Arbor Vitae/Bellanca) as the site for the maintenance facility.

**Response to comment S.45-19D.**

Comment noted. Please refer to Supplemental Master Response regarding the selection of Site #14 (Arbor Vitae/Bellanca) as the site for the maintenance facility.

**COMMENT: S.45-20. Gordon Michael Mego**

**Response to comment S.45-20A.**

Comment noted. Please refer to Supplemental Master Response regarding the selection of Site #14 (Arbor Vitae/Bellanca) as the site for the maintenance facility.

**Response to comment S.45-20B.**

Comment noted. Please refer to Supplemental Master Response regarding the selection of Site #14 (Arbor Vitae/Bellanca) as the site for the maintenance facility.

**Response to comment S.45-20C.**

Comment noted. Please refer to Supplemental Master Response regarding the selection of Site #14 (Arbor Vitae/Bellanca) as the site for the maintenance facility.



**COMMENT: S.45-21. Tut Hayes**

**Response to comment S.45-21A.**

Comment noted. The views and opinions of the commenter are appreciated.

**Response to comment S.45-21B.**

Comment noted. Public input and ridership projections have shown that an airport connection would be desirable.

**Response to comment S.45-21C.**

Comment noted. The FAA has regulations about crossing adjacent or near a runway. Metro and FTA have ongoing coordination with FAA to establish what protocols are necessary to ensure airport and passenger safety. Crenshaw High School is located one block east of the alignment. The light rail vehicles would travel within the center of the street right-of-way between two way traffic. The FEIS/FEIR determined that no adverse safety impacts would occur.

**COMMENT: S.45-22. Councilwoman Judy Dunlap**

**Response to comment S.45-22A.**

Comment noted. Please refer to Supplemental Master Response regarding the selection of Site #14 (Arbor Vitae/Bellanca) as the site for the maintenance facility.

**Response to comment S.45-22B.**

Comment noted. Please refer to Supplemental Master Response regarding the selection of Site #14 (Arbor Vitae/Bellanca) as the site for the maintenance facility.

**Response to comment S.45-22C.**

Comment noted. Please refer to Supplemental Master Response regarding the selection of Site #14 (Arbor Vitae/Bellanca) as the site for the maintenance facility.

**Response to comment S.45-22D.**

Comment noted. Please refer to Supplemental Master Response regarding the selection of Site #14 (Arbor Vitae/Bellanca) as the site for the maintenance facility.



**COMMENT: S.45-23. Ken Alpern**

**Response to comment S.45-23A.**

Comment noted.

**Response to comment S.45-23B.**

Comment noted. Please refer to Supplemental Master Response regarding the selection of Site #14 (Arbor Vitae/Bellanca) as the site for the maintenance facility.

**Response to comment S.45-23C.**

Comment noted. Please refer to Supplemental Master Response regarding the selection of Site #14 (Arbor Vitae/Bellanca) as the site for the maintenance facility.

**Response to comment S.45-23D.**

Comment noted. Please refer to Supplemental Master Response regarding the selection of Site #14 (Arbor Vitae/Bellanca) as the site for the maintenance facility.

**COMMENT: S.45-24. John Koppelman**

**Response to comment S.45-24A.**

Comment noted. Please refer to Supplemental Master Response regarding the selection of Site #14 (Arbor Vitae/Bellanca) as the site for the maintenance facility.